


NOTE:

1. EITHER SEWER OR WATER MAY BE INSTALLED IN NEW ALLEYS, BUT NOT BOTH. IN CASES WHERE NO ALTERNATIVE LOCATION FOR INSTALLATION EXISTS THE DIRECTOR OF PUBLIC WORKS WILL GIVE SPECIAL CONSIDERATION TO ALLOW THE INSTALLATION TO OCCUR. BUT, IN SUCH CASES SPECIAL CONSTRUCTION WILL BE REQUIRED.
2. TRANSVERSE CROSSINGS OF WATER MAINS WITH SEWER MAINS AND SEWER LATERALS SHALL COMPLY WITH STATE DEPT. OF HEALTH STANDARDS ON FILE AT PUBLIC WORKS DEPT., ENGINEERING DIVISION.

TYPICAL 20' ALLEY

SCALE 1"=4'0"

RICHARD G. SWEET R.C.E. 44,213 EXP. 6/30/07		11/22/04				City of Santa Maria Standard Drawing	
REVISIONS		BY	APP				
DESCRIPTION:				LOCATION OF UNDERGROUND UTILITIES - ALLEYS		STANDARD NUMBER	
DRAWN BY: L.A.D.				DATE DRAWN: 1/68		RD-32	
SCALE: NONE				SHEET 1 OF 1			