


NEW WYE AND LATERAL
NOT TO SCALE




NEW WYE CONNECTION TO EXISTING VCP OR PVC SEWER

NOT TO SCALE



NOTE:

1. CUT OUT SECTION OF EXISTING SEWER MAIN.
2. INSTALL FACTORY MADE PIPE SECTION WITH WYE WITH SMOOTH ENDS AND CONNECT SAME TO SEWER MAIN WITH 2-ARC'S (SEE SPEC'S, S-82).




NOTE: ALL JOINTS BETWEEN SEWER MAIN AND PROPERTY LINE TO BE PUSH ON TYPE WITH GASKET; NO GLUE.

TYPICAL LATERAL LOCATION
NOT TO SCALE





TERMINATION OF A NEW PVC OR EXISTING VCP LATERAL
NOT TO SCALE



GENERAL NOTES:

1. VITREOUS CLAY OR PVC PER CITY OF SANTA MARIA STANDARD SPECIFICATIONS FOR MATERIALS AND INSTALLATION OF SANITARY SEWERS.
2. TRENCH REPAIR PER CITY STANDARD DRAWING.
3. CUT-IN TO AN EXISTING LINE MAY BE MADE ONLY UNDER DIRECT SUPERVISION OF THE CITY ENGINEER.
4. PLUG MAY ALSO CONSIST OF A CAULKED CLAY STOPPER, OR APPROVED MECHANICAL COMPRESSION PLUG.
5. CHECK VALVE ON LATERAL IF HOUSE / BLDG. FINISHED FLOOR IS AT OR LOWER THAN RIM ELEVATION OF NEXT UP STREAM MANHOLE. CHECK VALVE TO BE INSTALLED OUTSIDE OF RIGHT-OF-WAY.

 RICHARD G. SWEET R.C.E. 44,213 EXP. 6/30/07		3/17/05 DATE			City of Santa Maria Standard Drawing	
REVISIONS		BY	APP	DATE	DESCRIPTION:	
A	UTILITY DEPARTMENT REVISIONS	CjP		6/17/08	SEWER LATERAL INSTALLATION	
B	UTILITY DEPARTMENT REVISIONS	CjP		1/4/13		
DRAWN BY: L.U.		DATE DRAWN: 4/73		SCALE: NONE		STANDARD NUMBER SS-14B
						SHEET 1 OF 1